Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("5613060").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 11:11
L2	782	(transact$4 with log$2) and (backup or archiv$3) and asynchronous	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 11:21
L3	57	2 and (asynchronous same streams) and (simultaneously or parallel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 11:13
L4	27	3 and (updat$3 with transact$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 11:13
L5	0	4 and ((backup or archiv$3) with database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 11:23
L6	24	4 and @ad<"20001206"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 12:25
L7	0	6 and (707/204).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 11:17
L8	1	3 and (707/204).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 11:30

L9	0	(transact$4 with log$2) and (backup or archiv$3) and (asynchronous with (streams or arrays)) and (707/204).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 11:22
L10	98	2 and failover	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 11:29
L11	30	10 and @ad<"20001206"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 11:30
L12	1	11 and (707/204).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 12:26
L13	12	11 and ((backup or archiv$3) with log$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 11:23
L14	698	2 and fail$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 12:26
L15	24	14 and (707/204).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 11:30
L16	8	15 and @ad<"20001206"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 12:26

L17	363	2 and @ad<"20001206"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 12:25
L18	323	17 and fail$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 12:26
L19	323	18 and @ad<"20001206"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 12:26
L20	8	19 and (707/204).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 12:29
L21	217	19 and ((recop$3 or recover$3) same (fail$4 or corrupt$3 or error))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 12:30
L22	129	19 and ((recop$3 or recover$3) near (fail$4 or corrupt$3 or error))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 12:31
L23	102	19 and ((recop$3 or recover$3) adj (fail$4 or corrupt$3 or error))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 12:31
L24	0	23 and (transaction with streams)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 12:31

L25	4	23 and (transaction with (parallel or simultaneously))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 12:38
L26	2	("6085298").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 12:38
S1	2	("6671355").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 09:37
S2	1	"6671355".pn. and (file with attach$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 09:58
S3	2	("6505216").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 11:01